



DEVELOPER	TYPE	STAGE	OTHER INFORMATION		
Moderna	mRNA	EUA	 2 doses; 95% effective Freezer/refrigerator		
Pfizer/BioNtech	mRNA	EUA	 2 doses; 95% effective Ultra-cold storage		
Johnson &Johnson, Janssen	Adenovirus Vector	Phase 3 Trials, EUA request submitted February 2021	Single dose; 72% effectiveRefrigerator storage		
AstraZeneca	Adenovirus Vector	Phase 3 Trials underway	Single doseRefrigerator storage		
Sanofi	Recombinant protein/adjuvant	Phase 2 trials scheduled to start February 2021	 2 doses Refrigerator storage		
Novavax	Recombinant protein/adjuvant	Phase 3 trials underway	 2 doses, 21 days apart Refrigerator storage		





		Prioritization	Included?	Distribution
ecommendations:33; aries from ACIP ecommendations: 18	Follows ACIP Recommendations:7; Varies from ACIP Recommendations: 41; Not updated: 3	Follows ACIP Recommendations:10; Varies from ACIP Recommendations: 24; Not updated: 17	Includes congregate settings: 26; Does not include congregate settings: 25	Phase 1a: 17; Phase 1b: 28; Phase determined by counties: 6
	Follows ACIP Recommendations	Follows ACIP Recommendations	Phase 1b includes those living in congregate settings (homeless shelters, group homes, prisons, jails)	Phase 1b
commendations	Includes ACIP recommended groups plus: people ages 55-74; people ages 50-54 with 2 or more high-risk health conditions; people ages 16-54 in "unserved communities"	Not updated	Phase 1b includes residents in congregate settings (homeless shelters, group homes, etc) and correctional facilities	Phase 1b- administering to people ages 65+ only
	Follows ACIP Recommendations	Follows ACIP Recommendations	Phase 1b includes adults with high-risk conditions living in congregate settings: Phase 1c includes	Most counties are in Phase 1b; one remains in Phase 1a
	Iows ACIP commendations	commendations: 18Recommendations: 41; Not updated: 3Iows ACIP commendationsFollows ACIP RecommendationsIows ACIP commendationsIncludes ACIP recommended groups plus: people ages 55-74; people ages 50-54 with 2 or more high-risk health conditions; people ages 16-54 in "unserved communities"Iows ACIP commendationsFollows ACIP Recommended groups plus: people ages 50-54 with 2 or more high-risk health conditions; people ages 16-54 in "unserved communities"Iows ACIP commendationsFollows ACIP Recommendations	commendations: 18Recommendations: 41; Not updated: 3Recommendations: 24; Not updated: 17Iows ACIP commendationsFollows ACIP RecommendationsFollows ACIP RecommendationsIows ACIP commendationsIncludes ACIP recommended groups plus: people ages 55-74; people ages 50-54 with 2 or more high-risk health condition; people ages 16-54 in "unserved commendationsNot updatedIows ACIP commendationsFollows ACIP Recommended groups plus: people ages 55-74; people ages 50-54 with 2 or more high-risk health condition; people ages 16-54 in "unserved communities"Follows ACIP RecommendationsIows ACIP commendationsFollows ACIP RecommendationsFollows ACIP Recommendations	commendations: 18Recommendations: 41; Not updated: 3Recommendations: 24; Not updated: 17settings: 25lows ACIP commendationsFollows ACIP RecommendationsFollows ACIP RecommendationsPhase 1b includes those living in congregate settings (homeless shelters, group homes, prisons, jails)lows ACIP commendationsIncludes ACIP recommended groups plus: people ages 55-74;



